

Missing references

Biesheuvel J.D., Vervloet M.G., Verdaasdonk R.M., Meijer J.H., 2013. Initial Systolic Time Interval (ISTI) as a Predictor of Intradialytic Hypotension (IDH). *J. Phys.: Conf. Ser.* 434 012036.

<http://dx.doi.org/10.1088/1742-6596/434/1/012036>

Hoekstra, F., Habers, E.; Janssen, T.W.J., Verdaasdonk, R.M., Meijer, J.H., 2010. Relationship between the Initial Systolic Time Interval and RR-interval during an exercise stimulus measured with Impedance Cardiography. *J. Phys.: Conf. Ser.* 224 012117. <http://dx.doi.org/10.1088/1742-6596/224/1/012117>

Hoekstra F., Martinsen Ø.G., Verdaasdonk R.M., Janssen T.W.J., Meijer J.H., 2012. The Initial Systolic Time Interval in patients with spinal cord injury measured with impedance cardiography. *J. Phys.: Conf. Ser.* 407 012025. <http://dx.doi.org/10.1088/1742-6596/407/1/012025>

Meijer, J.H., Hoekstra, F., Habers, E., Verdaasdonk, R.M., Janssen, T.W.J., 2010. Dynamic Response of the Initial Systolic Time Interval to a Breathing Stimulus measured with Impedance Cardiography. *J. Phys.: Conf. Ser.* 224 012119. <http://dx.doi.org/10.1088/1742-6596/224/1/012119>

Meijer J.H., Elbertse E., Boesveldt S., Berendse H.W., Verdaasdonk R.M., 2011. Using the Initial Systolic Time Interval to assess cardiac autonomic nervous function in Parkinson's disease. *J. Electr. Bioimp.* 2: 98-101. <http://dx.doi.org/10.5617/jeb.216>

Smorenberg A., Lust E.J., Beishuizen A., Meijer J.H., Verdaasdonk R.M., Groeneveld A.B.J., 2013. Systolic time intervals vs invasive predictors of fluid responsiveness after coronary artery bypass surgery. *European journal of cardio-thoracic surgery: official journal of the European Association for Cardio-thoracic Surgery* 03/2013. <http://dx.doi.org/10.1093/ejcts/ezt108>

van Eijnatten M.A.J.M., van Rijssel M.J., Peters R.J.A., Verdaasdonk R.M., Meijer J.H., 2014. Comparison of Cardiac Time Intervals between Echocardiography and Impedance Cardiography at Various Heart Rates. *J. Electr. Bioimp.* 5: 2-8. <http://dx.doi.org/10.5617/jeb.690>

van Lien R., Schutte N., Meijer J.H., de Geus E.J.C., 2013. Estimated preejection period (PEP) based on the detection of the R-wave and dZ/dt-min peaks does not adequately reflect the actual PEP across a wide range of laboratory and ambulatory conditions. *International Journal of Psychophysiology* 87: 60-69. <http://dx.doi.org/10.1016/j.ijpsycho.2012.11.001>