




# Classification and labelling of aqueous solutions of one substance

## Introduction with exercises



## Content

Aims.....	3
Relevant regulations.....	3
GHS and CLP .....	3
CLP in Norway.....	3
REACH .....	3
ECHA .....	3
Labelling .....	4
Location of information on the CLP hazard label .....	5
Labelling with only hazard pictogram and signal word.....	5
Not classified, according to CLP .....	5
Concepts in CLP .....	6
Classification and finding label elements .....	9
Check-list for classifying and making a label .....	9
Links.....	9
Exercise 1a: Create a label for 2 mol/L NaOH, in 1 L bottle .....	10
Exercise 1b (optional): Create a label for 5 mol/L HCOOH, in 1 L bottle (density 1,05 g/mL) .....	10
Exercise 2a: Create a label for 15 % HCl in 1 L bottle .....	11
Exercise 2b (optional): Create a label for 7,7 % H <sub>2</sub> O <sub>2</sub> in 1 L bottle.....	11
Exercise 3a: Create a label for 9 % NH <sub>3</sub> in 1 L bottle .....	12
Exercise 3b (optional): Create a label for 0,3 mol/L HNO <sub>3</sub> in 1 L bottle .....	12
Exercise 4a: Create a label for 0,2 mol/L CuSO <sub>4</sub> in 1 L bottle .....	13
Exercise 4b (optional): Create a label for 1 mol/L ZnCl <sub>2</sub> in 1 L bottle.....	13

## Aims

### *Competence aims*

The aims of the seminar are to enable students to:

- Be aware of the regulations that apply to classification and labelling of chemicals
- Explain some fundamental concepts used in classification and labelling of hazardous substances and mixtures
- Explain the elements of CLP hazard labelling
- Label aquatic solutions of 2 mol/L NaOH, 15 % HCl, 9 % NH<sub>3</sub> and 0,2 mol/L CuSO<sub>4</sub>

## Relevant regulations

### GHS and CLP

Trade in substances and mixtures is not only an issue relating to the internal market, but also to the global market. With a view to facilitating worldwide trade while protecting human health and the environment, harmonised criteria for classification and labelling together with general principles of their application have been carefully developed over a period of 12 years within the United Nations (UN) structure. The result was called the Globally Harmonised System of Classification and Labelling of Chemicals (UN GHS:

[http://www.unece.org/trans/danger/publi/ghs/ghs\\_welcome\\_e.html](http://www.unece.org/trans/danger/publi/ghs/ghs_welcome_e.html) ).

The GHS has been implemented in the EU by the CLP Regulation. The CLP Regulation is legally binding across the Member States (and Norway). It is directly applicable to industry. The hazard of a substance or mixture is the potential for that substance or mixture to cause harm. It depends on the intrinsic properties of the substance or mixture. Hazard labelling allows for the communication of hazard classification to the user of a substance or mixture, to alert the user to the presence of a hazard and the need to avoid exposures and the resulting risks. CLP sets general packaging standards, in order to ensure the safe supply of hazardous substances and mixtures.

### CLP in Norway

[Forskrift om klassifisering, merking og emballering av stoffer og stoffblandinger \(CLP\)](#) in force in Norway from 16. June 2012, replacing *Forskrift om klassifisering, merking mv. av farlige kjemikalier (Merkeforskriften)* after 1. June 2015.


### REACH

REACH is the Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals. It entered into force on 1st June 2007. It streamlines and improves the former legislative framework on chemicals of the European Union (EU).

### ECHA

The European Chemicals Agency (ECHA) is a Community body which was established for the purpose of managing REACH. It is central to the implementation of both REACH and CLP, to ensure consistency across the EU.

## Labelling

<b>Sodium hydroxide 1 mol/L NaOH</b> 4 % NaOH, CAS no. 1310-73-2	Product identifier
	Hazard pictogram
Danger	Signal word
Causes severe skin burns and eye damage.	Hazard statement
Wear eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.	Precautionary statements
Company's name , adress and telephone number:	Company's identity
(Made by, date)	Supplemental labelling information

CLP requires the label to be written in the official language, additional languages may be used.

## Location of information on the CLP hazard label

The hazard pictograms, signal word, hazard statements and precautionary statements shall be kept together on the label.

Hazard statements shall be grouped together on the label while the order of the hazard statements can be chosen freely.

Precautionary statements shall be grouped together on the label while the order of the precautionary statements can be chosen freely.

In case more than one language is used on the label, the hazard and precautionary statements of the same language shall be grouped together on the label.

Any supplemental information as referred to in CLP Article 25 shall be included in the section for supplemental labelling and placed alongside the label elements referred to in CLP Article 17(1)(a)– (g).

## Labelling with only hazard pictogram and signal word

Exeptions where the contents do not exceed 125 ml

Hazard classification of the substance or mixture	Allowed omissions according to section 1.5.2 of Annex I to CLP
Oxidising gases cat. 1 Gases under pressure Flammable liquids cat. 2 or 3 Flammable solids cat. 1 or 2 Self-reactive substances and mixtures, type C, D, E or F Self-heating substances and mixtures, cat. 2 Substances and mixtures which, in contact with water, emit flammable gases, cat. 1, 2 or 3 Oxidising liquids cat. 2 or 3 Oxidising solids cat. 2 or 3 Organic peroxides, type C, D, E or F Acute toxicity cat. 4 (no supply to general public) Skin irritants cat. 2 Eye irritants cat. 2 STOT-SE 2 or 3 (no supply to general public) STOT-RE 2 (no supply to general public) Aquatic acute cat. 1 Aquatic chronic cat. 1 or 2	hazard and precautionary statements for the hazard classes listed in column 1  <u>comment:</u> the hazard pictogram and signal word are required for the denoted hazard categories

## Not classified, according to CLP

Bottles with mixtures that are not classified as hazardous may be labelled “Not classified, according to CLP” for obvious reasons.

## Concepts in CLP

### **Hazardous substances and mixtures**

All substances and mixtures meeting the criteria of one or more of the hazard classes in CLP are considered hazardous.

### **CLP hazard classes and categories**

There are three groups of hazard classes: Physical hazards, Health hazards, Environmental hazards  
Categories: Category 1A, 1B, and 1C, Category 2, Category 3 and Category 4:

Leaflet with all hazard classes and categories,

in English: [CLP poster](#)

in Norwegian: [CLP plakat](#)

### **Product identifier**

A name and an identification number as they appear in the Classification and Labelling Inventory.

### **Hazard pictograms**

<http://www.unece.org/trans/danger/publi/ghs/pictograms.html>

### **Signal words**

CLP introduces the two UN GHS signal words 'Danger' (Fare) and 'Warning' (Advarsel) to indicate the severity of a hazard.

Where you have to use the signal word "Danger", the signal word "Warning" shall not appear on the label.

### **Hazard statements**

[Oversikt fra Miljødirektoratet](#) (in English and Norwegian)

Code ranges of hazard statements under CLP

Hazard Statements: H	
200 – 299	Physical hazard
300 – 399	Health hazard
400 – 499	Environmental hazard

### **Precautionary statements**

[Oversikt fra Miljødirektoratet](#) (in English and Norwegian)

Code ranges of precautionary statements under CLP

Precautionary Statements: P
100 – 199 General
200 – 299 Prevention
300 – 399 Response
400 – 499 Storage
500 – 599 Disposal

**CAS-number** Chemical Abstract Service number, identification number

**ATE** Acute Toxicity Estimate

***M-factor:***


M-factor means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present.

***C&L Inventory***

The classifications of all substances notified or registered under REACH or CLP will be included in the [Classification and Labelling Inventory](#) established at ECHA (CLP Article 42). The inventory will indicate whether a classification is harmonised or whether it has been agreed between two or more notifiers or registrants.

***Sizes***


Label: ≤ 3 liters. If possible, at least 52 mm x 74 mm



Pictogram: If possible, at least 16 mm x 16 mm.



Each hazard pictogram shall cover at least one fifteenth of the minimum surface area of the label



dedicated to CLP information, but the minimum area shall not be less than 1 cm<sup>2</sup>.

#### 16 mm x 16 mm pictograms



#### 10 mm x 10 mm pictograms





## Classification and finding label elements

### Checklist for classifying and making a label

1. Find numerical identifier
2. Calculate approx. concentration in % (m/m)
3. Classify your solution
  - a. Specific concentration limits (C&L inventory)
  - b. For hazard classes without specific concentration limits use Generic concentration limits (CLP – regulation)
4. Find hazard pictogram(s), signal word and hazard statement(s) for all the hazard classes in your classification (CLP poster)
5. Choose precautionary statements (Guidance on labelling and packaging in accordance with Regulation (EC) No 1272/2008). Norwegian translation (Sikkerhetssetningene fra miljødirektoratet)
6. Add company identity and supplemental information.

### Links

[C&L inventory](#)

CLP poster ([Norwegian](#)) ([English](#))

CLP regulation ([Norwegian](#)) ([English](#))

[Guidance on labelling and packaging in accordance with Regulation \(EC\) No 1272/2008](#)

[Sikkerhetssetningene fra Miljødirektoratet](#)

[SDS Ammonia](#)

[SDS Copper\(II\)sulfate](#)

### Exercise 1a: Create a label for 2 mol/L NaOH, in 1 L bottle

1. Use wikipedia to find the numerical identifier for sodium hydroxide.
2. Calculate the mass percentage of NaOH in your solution (you need this to classify the solution).
3. Go to C&L Inventory to classify your solution.
  - a. Hit "I have read and....", after this you might have to refresh the page.
  - b. Hit "CL Inventory" in the middle of the page.
  - c. Write the name (substance Name), in English: sodium hydroxide or CAS-number for the substance (numerical identifier).
  - d. Hit "Search".
  - e. You now get a list in the bottom of the page. Click on the "eye" symbol on the right side, in the row, which has the name of your substance.
4. In table 3 CLP Classification, the first column states the classification of the pure substance. Use the **"Specific Concentration limits"** and classify your solution.
5. Use the CLP poster to find the labelling elements for your solution (hazard pictogram(s), signal word and hazard statement(s))

All hazard statements resulting from the classification shall appear on the label. The label must be written in the national language.

6. Precautionary statements:

You can find precautionary statements in chapter 7 of Guidance on labelling and packaging in accordance with Regulation (EC) No 1272/2008. There you will also find guidance on how to select precautionary statements. Normally, not more than six precautionary statements shall appear on the label, unless necessary to reflect the nature and the severity of the hazards. Any selection shall take into account the hazard statements used, and the intended use or uses of the mixture. Precautionary statements with + between them, shall appear together. The wording of the precautionary statements in Norwegian should be taken as stated in Sikkerhetssetningene fra Miljødirektoratet.

### Exercise 1b (optional): Create a label for 5 mol/L HCOOH, in 1 L bottle (density 1,05 g/mL)

### Exercise 2a: Create a label for 15 % HCl in 1 L bottle

1. Use wikipedia to find the numerical identifier for hydrochloric acid.
2. Go to C&L Inventory to classify your solution.
  - a. Hit "CL Inventory" in the middle of the page.
  - b. Write the substance name: hydrochloric acid or CAS-number (numerical identifier).
  - c. Hit «Search»
  - d. You now get a list in the bottom of the page. Click on the eye symbol on the right side, in the row, which has the name "hydrochloric acid...%".
3. In table 3.1 CLP Classification, the first column states the classification of a saturated solution. See **Specific Concentration limits** and classify your solution for every hazard class.
4. Use the CLP poster to find the labelling elements for the solution.
5. Precautionary statements:  
Use the Guidance on labelling and packaging in accordance with Regulation (EC) No 1272/2008 and choose precautionary statements.

### Exercise 2b (optional): Create a label for 7,7 % H<sub>2</sub>O<sub>2</sub> in 1 L bottle

### Exercise 3a: Create a label for 9 % NH<sub>3</sub> in 1 L bottle

1. Use wikipedia to find the numerical identifier for ammonia.
2. Go to C&L Inventory to classify the solution.
  - a. Hit "CL Inventory" in the middle of the page.
  - b. Write the substance name: ammonia or CAS-number (numerical identifier).
  - c. Hit "Search"
  - d. You now get a list in the bottom of the page. Click on the eye symbol on the right side, in the row, which is relevant for your substance.
3. In table 3.1 CLP Classification, the first column states the classification of the saturated solution. See **Specific Concentration limits** and find the classification for your mixture in every hazard class.
4. For the two hazard classes without specific concentration limits, you must use generic concentration limits to decide if and how the 9 % ammonia solution should be classified.
  - a. (Skin corr 1B) Use table 3.2.3 in the CLP regulation.
  - b. (Aquatic acute 1) Use the lowest LC<sub>50</sub> or EC<sub>50</sub> - value found in chapter 12 of the safety data sheet for ammonia, and tables 4.1.3 and 4.1.1 in the CLP regulation.
5. Use the CLP poster to find the labelling elements (pictogram(s), signal word and hazard statement(s)).
6. Precautionary statements:  
Use the Guidance on labelling and packaging in accordance with Regulation (EC) No 1272/2008 and choose precautionary statements.

### Exercise 3b (optional): Create a label for 0,3 mol/L HNO<sub>3</sub> in 1 L bottle

### Exercise 4a: Create a label for 0,2 mol/L CuSO<sub>4</sub> in 1 L bottle

1. Use English Wikipedia to find the numerical identifier for copper(II)sulfate.
2. Go to C&L Inventory to classify the solution.
  - a. Hit "CL Inventory" in the middle of the page.
  - b. Write the substance name: copper(II)sulfate or CAS-number (numerical identifier)
  - c. Hit «Search»
  - d. You now get a list in the bottom of the page. Click on the eye symbol on the right side, in the row, which is relevant for your substance.
3. Check for **Specific Concentration limits**.
4. For hazard classes without specific concentration limits, you must use other information to decide if and how the 0,2 mol/L copper(II)sulfate solution should be classified.
  - a. (Skin irrit. 2) Use table 3.2.3 in the CLP regulation.
  - b. (Eye irrit. 2) Use table 3.3.3 in the CLP regulation.
  - c. (Aquatic acute 1) Use the lowest LC<sub>50</sub> or EC<sub>50</sub> - value found in chapter 12 of the safety data sheet for copper(II)sulfate and tables 4.1.3 and 4.1.1 in the CLP regulation.
  - d. (Aquatic chronic 1) Use the lowest LC<sub>50</sub> or EC<sub>50</sub> - value found in chapter 12 of the safety data sheet for copper(II)sulfate, and tables 4.1.3 and 4.1.2 in the CLP regulation.
  - e. (Acute tox. 4) Use table 3.1.1 and 3.1.2 in the CLP regulation and the equation given in 3.1.3.6.1 (also shown below).

$$ATE_{mix} = \frac{100 * ATE}{c} = 2000$$

5. Precautionary statements:  
Use the Guidance on labelling and packaging in accordance with Regulation (EC) No 1272/2008 and choose precautionary statements.

### Exercise 4b (optional): Create a label for 1 mol/L ZnCl<sub>2</sub> in 1 L bottle